


COLORTEC/GRAPHIC Graphic Inspo - Wall-to-wall LF - Technical Details

Weight: 1800 g/m²

Material: 100% wool

Structure: Tufted cut pile

Backing: Laminated felt 500 gr



DESCRIPTION	METHOD	DATA
-------------	--------	------

CONSTRUCTION CHARACTERISTICS

Structure	ISO 2424	Tufted cut pile
Gauge	ISO 2424	1/8
Pile material	Regulation (EU) No 1007/2011	100% wool
Coloration	-	Predyed/undyed
Backing	ETL	IMO LF
Dimensions	ISO 3018	Approx. 400/500 cm
Total thickness	ISO 1765	Apr 11,5 mm.
Surface pile thickness	ETL	Apr 6,0 mm.
Tufts	ISO 1763	Apr 186.900 pr.m2
Total carpet weight	ISO 8543	Apr 2.850 g/m2
Pile yarn weight	ETL	1.800 g/m2
Surface pile weight	ISO 8543.	Apr 1.209 g/m2
Surface pile density	ISO 8543.	Apr 0,173 g/cm3

PERFORMANCE CHARACTERISTICS

Performance areas	EN 1307	Class 33 - Commercial - Heavy	
Suitability for use on stairs	ETL	Yes	
Thermal insulation	ETL	Apr 0,20 m2K/W	
Colour fastness to light	ISO 105-B02	>4	

	AATCC 16	5
Colour fastness to rubbing wet	ISO 105-X12	>3
Colour fastness to rubbing dry	ISO 105-X12	>3-4
Colour fastness to water plain	ISO 105-E01	>3-4

SAFETY & ENVIRONMENT

Fire classification	IMO	Certified	
	USCG	164.117/EC0575/MEDB00008R1	
	EC Type-Ex.Cert.No.	MEDB00008R1	
	QS-Cert.of.Assesment-EC No.	MEDD000001V	
	Declaration of Conformity	DOC-MEDB00008R1	
	EN 13501-1 Euroclass	Cfl-s1	
CE Labeling	EN 14041	Certified	
	Declaration of Performance	DOP WOLF	
	Notified body no.	NA	
	Ce Year	24	
	Content of PCP	DL	
	Formaldehyde emission	NA	
	Slip resistance	Class DS	
Indoor climate	Indoor Air Comfort Gold	Group 17	
Environment	BREEAM International	Approved	
	EPD	MD-25045-EN	
	C2C Certified Full Scope	Bronze, Version 4.0	
	Health Product Declaration	Registered	
	Recycled Content, ISO 14021	Apr 18,0 %	
	Recycled Content for LEED	Apr 14,0 %	
	LEED V4	Qualified	

LEED V5	Qualified
GWP Cradle to Gate (A1-A3)	18,70 KgCO2eq/m2

MANUFACTURER CHARACTERISTICS

Factory certification	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK