

ege

Eco Rustic Tiles
Ecotrust 350, 100% Recycled

Productdescription





Eco Rustic Tiles

Ecotrust 350, 100% Recycled

Productdescription



DESCRIPTION	METHOD	DATA
CONSTRUCTION CHARACTERISTICS		
STRUCTURE	ISO 2424	Woven loop pile
PILE MATERIAL	DIR 96/73, 96/74	100% regenerated PA6
COLORATION	-	Continuous dyed
BACKING	ETL	Ecotrust 350, 100% recycled
DIMENSIONS	ISO 3018	48x48/96x96/24x96cm/Figura
SIZE GUIDE	ETL	Eco Rustic
TOTAL THICKNESS	ISO 1765	Apr 4,5 mm.
	.	0,181"
TOTAL CARPET WEIGHT	ISO 8543	Apr 2.375 g/m2
	.	63,1 oz./yd2
PILE YARN WEIGHT	ETL	450 g/m2
	.	13,28 oz./yd2
PERFORMANCE CHARACTERISTICS		
PERFORMANCE AREAS	EN 1307	Class 33 - Commercial - Heavy
	Gulvbranchen	Class 33
CASTOR CHAIR SUITABILITY	EN 985	Intensive use
SUITABILITY FOR USE ON STAIRS	EN 1963	Yes
STATIC CONTROL	ETL	Permanently antistatic
BODY WALKING TEST	ISO 6356	Antistatic
ACOU.INSU. FROM IMPACT NOISE	ISO 717-2	17 dB
ACOUSTICAL ABSORPTION	ISO 354	0,15 aW
THERMAL INSULATION	ETL	Apr 0,08 m2K/W
LIGHT REFLECTANCE	ETL	Testreport
COLOUR FASTNESS TO LIGHT	ISO 105-B02	>5
	AATCC 16	5.0
COLOUR FASTNESS TO RUBBING WET	ISO 105-X12	>3
COLOUR FASTNESS TO RUBBING DRY	ISO 105-X12	>3-4
COLOUR FASTNESS TO WATER PLAIN	ISO 105-E01	>3-4
SAFETY & ENVIRONMENT		
FIRE CLASSIFICATION	EN 13501-1 Euroclass	Bfl-s1
CE LABELING	EN 14041	Certified
	CPR	1021-CPR-010-1/16
	Declaration of Performance	DOP 5B-PA-ECT350
	Notified body no.	1021



Eco Rustic Tiles Ecotrust 350, 100% Recycled

Productdescription

	Ce Year	22
	Content of PCP	DL
	Formaldehyde emission	NA
INDOOR CLIMATE	Slip resistance	Class DS
	Green Label Plus	Approved
	Indoor Air Comfort Gold	Group 14
ENVIRONMENT	Byggvarubedömningen ID	164141
	BREEAM International	Approved
	Environmental Product Decl.	MD-24052-EN
	C2C Certified Full Scope	Bronze, Version 4.0
	Recycled Content, ISO 14021	Apr 34,0 %
	Recycled Content for LEED	Apr 29,0 %
	GWP Cradle to Gate (A1-A3)	5,22 KgCO2eq/m2

GUIDES

INSTALLATION + ADHESIVE GUIDE	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
INSTALLATION TILES	Direction of installation	Quarter turn
CLEANING, STAIN REMOVAL	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

MANUFACTURER CHARACTERISTICS

FACTORY CERTIFICATION	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK



Eco Rustic Tiles Ecotrust 350, 100% Recycled

Productdescription



Most of our carpets are 100% Cradle to Cradle Bronze Certified®

We want to leave the right footprint and make sustainability available to everyone.

The Cradle to Cradle Certified Product Standard helps us do exactly that and therefore most of our carpets are Cradle to Cradle Certified® Bronze.

With this product certificate, we prove to the world that we do our utmost to keep valuable materials in circulation, cut down on waste and harmful substances, take better care of our scarce resources, sustain the groundwater, reduce CO2 emissions and ensure social fairness in our operations and value chain.

Cradle to Cradle Certified® is the only choice

With our carpets, it's easier than ever before to choose sustainably. You can pick your very own favourite from thousands of colours, patterns, structures and qualities and in addition, many of our carpets are Cradle to Cradle Certified® Bronze which means that you can leave the people and planet care taking to us, while focusing your own attention on our great selection of designs.