

ege

**Epoca Classic
CL - Contract latex**

Productdescription





Epoca Classic CL - Contract latex

Productdescription



DESCRIPTION	METHOD	DATA
CONSTRUCTION CHARACTERISTICS		
STRUCTURE	ISO 2424	Tufted loop pile
GAUGE	ISO 2424	5/32
PILE MATERIAL	DIR 96/73, 96/74	100% polyamide
COLORATION	-	Continuous dyed
BACKING	ETL	CL - Contract latex
DIMENSIONS	CEN/TS 14159	Approx. 400 cm
TOTAL THICKNESS	ISO 1765	Apr 7,5 mm.
SURFACE PILE THICKNESS	ISO 1766	Apr 3,0 mm.
TUFTS	ISO 1763	Apr 85.000 pr.m2
TOTAL CARPET WEIGHT	ISO 8543	Apr 2.450 g/m2
PILE YARN WEIGHT	ETL	590 g/m2
		17.41 oz./yd2
SURFACE PILE DENSITY	ISO 8543.	Apr 0,120 g/cm3

PERFORMANCE CHARACTERISTICS		
PERFORMANCE AREAS	EN 1307 Gulvbranchen	Class 33 - Commercial - Heavy Class 33
CASTOR CHAIR SUITABILITY	EN 985	Intensive use
SUITABILITY FOR USE ON STAIRS	EN 1963	Yes
STATIC CONTROL	ETL	Permanently antistatic
BODY WALKING TEST	EN 1815	Antistatic
ACOU.INSU. FROM IMPACT NOISE	ISO 717-2	34 dB
ACOUSTICAL ABSORPTION	ISO 354	0,30 aW
THERMAL INSULATION	ETL	Apr 0,13 m2K/W
LIGHT REFLECTANCE	ETL	Testreport
COLOUR FASTNESS TO LIGHT	ISO 105-B02 AATCC 16	>5 5.0
COLOUR FASTNESS TO RUBBING WET	ISO 105-X12	>3
COLOUR FASTNESS TO RUBBING DRY	ISO 105-X12	>3-4
COLOURFAST. TO WATER PATTERNED	ISO 105-E01	>4

SAFETY & ENVIRONMENT		
FIRE CLASSIFICATION	ASTM E-648 ASTM E662 Smoke Density ASTM D2859 Surface Flamm. EN 13501-1 Euroclass	Class 1 <450 Pass Cfl-s1



Epoca Classic CL - Contract latex

Productdescription

CE LABELING	China	Cfl-s1-t1
	ASTM E 662	Approved
	EN 14041	Certified
	CPR	1021-CPR-007-2/16
	Declaration of Performance	DOP 2C-PA-Foam
	Notified body no.	1021
	Ce Year	07
	Content of PCP	DL
	Formaldehyde emission	NA
	Slip resistance	Class DS
INDOOR CLIMATE	INSTA 800	Dust level 5
	Green Label Plus	Approved
	Emissions dans l'air intérieur	A+/A+
	Indoor Air Comfort Gold	Group 6
	ABG	ABG-28-02-06-01-2018
ENVIRONMENT	BREEAM International	Approved
	C2C Certified Full Scope	Bronze, Version 4.0
	Recycled Content, ISO 14021	Apr 0,0 %
	Recycled Content for LEED	Apr 0,0 %

GUIDES

INSTALLATION + ADHESIVE GUIDE	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
CLEANING, STAIN REMOVAL	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

MANUFACTURER CHARACTERISTICS

FACTORY CERTIFICATION	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK



Epoca Classic CL - Contract latex

Productdescription



Most of our carpets are 100% Cradle to Cradle Bronze Certified®

We want to leave the right footprint and make sustainability available to everyone.

The Cradle to Cradle Certified Product Standard helps us do exactly that and therefore most of our carpets are Cradle to Cradle Certified® Bronze.

With this product certificate, we prove to the world that we do our utmost to keep valuable materials in circulation, cut down on waste and harmful substances, take better care of our scarce resources, sustain the groundwater, reduce CO2 emissions and ensure social fairness in our operations and value chain.

Cradle to Cradle Certified® is the only choice

With our carpets, it's easier than ever before to choose sustainably. You can pick your very own favourite from thousands of colours, patterns, structures and qualities and in addition, many of our carpets are Cradle to Cradle Certified® Bronze which means that you can leave the people and planet care taking to us, while focusing your own attention on our great selection of designs.