

ege

**Highline Wool 1400
AB - Acoustic backing**

Productdescription





Highline Wool 1400

AB - Acoustic backing

Productdescription



DESCRIPTION	METHOD	DATA
-------------	--------	------

CONSTRUCTION CHARACTERISTICS

STRUCTURE	ISO 2424	Tufted cut pile
GAUGE	ISO 2424	1/8
PILE MATERIAL	DIR 96/73, 96/74	100% wool
COLORATION	-	Millitron dyed
BACKING	ETL	AB - Acoustic backing
DIMENSIONS	ISO 3018	Approx. 400 cm
TOTAL THICKNESS	ISO 1765	Apr 12,5 mm.
SURFACE PILE THICKNESS	ISO 1766	Apr 7,5 mm.
TUFTS	ISO 1763	Apr 119.200 pr.m2
TOTAL CARPET WEIGHT	ISO 8543	Apr 3.100 g/m2
PILE YARN WEIGHT	ETL	1.400 g/m2
SURFACE PILE DENSITY	ISO 8543.	Apr 0,136 g/cm3

PERFORMANCE CHARACTERISTICS

PERFORMANCE AREAS	EN 1307	Class 33 - Commercial - Heavy
STATIC CONTROL	ETL	Permanently antistatic
BODY WALKING TEST	EN 1815	Antistatic
ACOU.INSU. FROM IMPACT NOISE	ETL	41 dB
ACOUSTICAL ABSORPTION	ETL	0,35 aW
COLOUR FASTNESS TO LIGHT	ISO 105-B02	>5
	AATCC 16	5
COLOUR FASTNESS TO RUBBING WET	ISO 105-X12	>3
COLOUR FASTNESS TO RUBBING DRY	ISO 105-X12	>3-4
COLOURFAST. TO WATER PATTERNED	ISO 105-E01	>4

SAFETY & ENVIRONMENT

FIRE CLASSIFICATION	IMO	Certified
	USCG	164/117/ECO575/MEDB00008D8
	EC Type-Ex.Cert.No.	MEDB00008D8
	QS-Cert.of.Assesment-EC No.	MEDD000001V
	Declaration of Conformity	DOC-MEDB00008D8
	ASTM E-648	Class 1
	ASTM E662 Smoke Density	<450
	ASTM D2859 Surface Flamm.	Pass
	EN 13501-1 Euroclass	Bfl-s1
	EN 14041	Certified
CE LABELING		



Highline Wool 1400 AB - Acoustic backing

Productdescription

	CPR	1021-CPR-016-1/23
	Declaration of Performance	DOP 1B-WO-AB
	Notified body no.	1021
	Ce Year	23
	Content of PCP	DL
	Formaldehyde emission	NA
	Slip resistance	Class DS
INDOOR CLIMATE	Indoor Air Comfort Gold	Group 4
ENVIRONMENT	Environmental Product Decl.	EPD-IES-0020885
	C2C Certified Full Scope	Bronze, Version 4.0
	C2C Certified Full Scope	Bronze, Version 4.0
	Recycled Content, ISO 14021	Apr 13,0 %
	Recycled Content for LEED	Apr 8,0 %
	GWP Cradle to Gate (A1-A3)	21,90 KgCO2eq/m2

GUIDES

INSTALLATION + ADHESIVE GUIDE	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
CLEANING, STAIN REMOVAL	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

MANUFACTURER CHARACTERISTICS

FACTORY CERTIFICATION	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK



Highline Wool 1400 AB - Acoustic backing

Productdescription



Most of our carpets are 100% Cradle to Cradle Bronze Certified®

We want to leave the right footprint and make sustainability available to everyone.

The Cradle to Cradle Certified Product Standard helps us do exactly that and therefore most of our carpets are Cradle to Cradle Certified® Bronze.

With this product certificate, we prove to the world that we do our utmost to keep valuable materials in circulation, cut down on waste and harmful substances, take better care of our scarce resources, sustain the groundwater, reduce CO2 emissions and ensure social fairness in our operations and value chain.

Cradle to Cradle Certified® is the only choice

With our carpets, it's easier than ever before to choose sustainably. You can pick your very own favourite from thousands of colours, patterns, structures and qualities and in addition, many of our carpets are Cradle to Cradle Certified® Bronze which means that you can leave the people and planet care taking to us, while focusing your own attention on our great selection of designs.